

UTAH INDOOR CLEAN AIR ACT COMPLIANCE CHECKLIST

SMOKING PERMITTED

R392-510-3

Building owner, agent, or operator responsible for compliance.

R392-510-4 (1, 2)

Building owner, agent, or operator may prohibit smoking anywhere on premises, including outdoors.

R392-510-5

All places of employment are smoke free.

R392-510-5

Three types of businesses where smoking-permitting and no smoking-permitted areas may exist in the same building.

(1) Public lodging may designate guest rooms as smoking-permitted.

(2) Nursing homes may designate some single occupancy residential sleeping rooms as smoking-permitted.

(3) Owner-operated businesses having no other employees and then only in areas not commonly open to the public.

R395-510-12 (2)

Where smoking is partially allowed, a sign using the words “no smoking is permitted except in designated areas,” or similar wording, including the international no-smoking symbol must be conspicuously posted at all entrances.

R392-510-12 (3)

In a place where smoking is permitted in its entirety, a sign using the words “smoking permitted” or similar wording must be conspicuously posted.

R392-510-12 (5)

A sign must be posted inside the exit of all smoking-permitted areas if the exit leads to a smoking-prohibited area. The sign must have the words “smoking not permitted beyond this point” or similar wording and include the international no-smoking symbol.

R392-510-12 (6)

Public lodging smoking-permitted guest room doors must have a permanent sign.

R392-510-7 (1)

If a building has a smoking-permitted area, the building owner must obtain and keep on file a signed statement from an air balancing professional* that any enclosed area where smoking is permitted must be designed and operated to prevent exposure of persons outside the area to tobacco smoke.

*Professionals include an air balancing firm certified by the Associated Air Balance Council or the National Environmental Balancing Bureau or an industrial hygienist certified by the American Board of Industrial Hygiene.

R392-510-7 (3)

The building operator must provide the information required (signed statement) within 5 working days upon request of the local health officer.

R392-510-9 (1)

Smoking not permitted within a 25 foot buffer zone around entrances, open windows, and ventilation intakes.

R392-510-9 (2)

Ashtrays provided within the 25 foot buffer zone require signage indicating they are for the extinguishing of tobacco products only, and the area around it is not a smoking area. The sign shall include a reference to the 25 foot prohibition.